Atty Docket No.: 43939-107

Response to non-final Office Action dated 12/09/2010

Page 2 of 11

## **AMENDMENTS TO THE CLAIMS**

This listing of claims replaces all prior versions and listings or claims in the application. Claims 1-21 (Canceled)

- 22. (Currently Amended) A method of treating, managing or preventing obstructive lung disease comprising administering to a patient a pharmaceutical composition comprising an effective amount of a medicament selected from the group consisting of:
  - (a) heat killed whole cell *Mycobacterium* w,
  - (b) sonicated Mycobacterium w,
  - (c) a solvent extract of *Mycobacterium w*, wherein the solvent is selected from the group consisting of chloroform, ethanol, methanol, <u>and</u> acetone, <u>phenol</u>, <u>isopropyl alcohol</u>, <u>acetic acid</u>, <u>urea</u>, <u>and hexane</u>;
  - (d) an enzymatic extraction of *Mycobacterium w*, wherein the enzyme is selected from the group consisting of liticase, and pronase; and
  - (e) admixtures thereof.
- 23. (Currently Amended) The method of claim 22 or 48, wherein the method is for treating, managing or preventing asthma.
- 24. (Previously presented) The method of claim 23, wherein the method is for delaying attacks of asthma.
- 25. (Previously Presented) The method of claim 23, wherein the method is for reducing the requirement of drugs used to improve lung function during the management of asthma.

Atty Docket No.: 43939-107

Response to non-final Office Action dated 12/09/2010

Page 3 of 11

- 26. (Previously Presented) The method of claim 23, wherein the method is for improving lung function in the presence or absence of other drugs.
- 27. (Previously Presented) The method of claim 23, wherein the asthma is bronchial asthma.
- 28. (Previously Presented) The method of claim 22, wherein the pharmaceutical composition comprises an admixture of heat killed whole cell *Mycobacterium w* and sonicated *Mycobacterium w*.
- 29. (Previously Presented) The method of claim 22, wherein the pharmaceutical composition comprises sonicated *Mycobacterium w*.
  - 30. (Canceled)
  - 31. (Canceled)
- 32. (Currently Amended) The method of claim 22, wherein the pharmaceutical composition comprises a solvent extract of *Mycobacterium w* wherein the solvent is selected from the group consisting of chloroform, ethanol, methanol and acetone. [, phenol, isopropyl alcohol, acetic acid, urea, and hexane.]
  - 33-35. (Canceled)
- 36. (Currently Amended) The method of claim <u>22 or</u> 48, wherein the pharmaceutical composition further comprises an adjuvant.
- 37. (Previously presented) The method of claim 36, wherein the adjuvant is selected from the group consisting of mineral oil, mineral oil and surfactant, Ribi adjuvant, Titer-max, syntax adjuvant formulation, aluminum salt adjuvant, nitrocellulose adsorbed antigen, immune stimulating complexes, Gebru adjuvant, super carrier, elvax 40w, L-tyrosine, monatanide (manide-oleate compound), Adju prime, Squalene, Sodium phthalyl lipopoly saccharide, calcium phosphate, saponin, melonoma antigen and muramyl dipeptide (MDP).

Atty Docket No.: 43939-107

Response to non-final Office Action dated 12/09/2010

Page 4 of 11

- 38. (Currently Amended) The method of claim <u>22 or</u> 48, wherein the pharmaceutical composition further comprises a surfactant.
- 39. (Previously Presented) The method of claim 38, wherein the surfactant is polyoxyethylene sorbitan monooleate (Tween 80) or Titon X100.
- 40. (Previously Presented) The method of claim 38, wherein the surfactant is present in the pharmaceutical composition in a concentration of up to 0.4%.
- 41. (Previously Presented) The method of claim 38, wherein the surfactant is present in the pharmaceutical composition in a concentration of up to 0.1%.
- 42. (Currently Amended) The method of claim <u>22 or</u> 48, wherein the pharmaceutical composition further comprises a preservative.
- 43. (Previously Presented) The method of claim 42, wherein the preservative is Thiomerosal and is present in a concentration of 0.01% w/v.
  - 44. (Canceled)
- 45. (Currently Amended) The method of claim 22 [[48]], wherein the pharmaceutical composition is heat killed *Mycobacterium w* in a unit dosage form comprising at least 10<sup>5</sup> *Mycobacterium w* as:
  - (a) 10<sup>5</sup> heat killed whole cell *Mycobacterium w*
  - (b) 10<sup>5</sup> sonicated Mycobacterium w.
  - (c) a solvent extract of  $10^5$  Mycobacterium w wherein the solvent is selected from chloroform, ethanol, methanol and acetone [, phenol, isopropyl-alcohol, acetic acid, urea, and hexane], or
  - (d) an enzymatic extraction of  $10^5$  Mycobacterium w wherein the enzyme is selected from the group consisting of liticase and pronase.

Atty Docket No.: 43939-107

Response to non-final Office Action dated 12/09/2010

Page 5 of 11

- 46. (Currently Amended) The method of claim [[44]]  $\underline{22}$ , wherein the pharmaceutical composition is in a unit dosage form comprising at least  $10^7$  Mycobacterium w as:
  - (a) 10<sup>7</sup> heat killed whole cell *Mycobacterium* w,
  - (b)  $10^7$  sonicated Mycobacterium w,
  - (c) a solvent extract of 10<sup>7</sup> Mycobacterium w, wherein the solvent is selected from the group consisting of chloro[[ph]]form, ethanol, me[[n]]thanol, and acetone, phenol, isopropyl alcohol, acetic acid, urea, and hexane, or
  - (d) an enzymatic extraction of  $10^7$  Mycobacterium w wherein the enzyme is selected from the group consisting of liticase and pronase.
- 47. (Currently Amended) The method of claim [[46]]  $\underline{22}$ , wherein the pharmaceutical composition is in a unit dosage form comprising between  $10^8$  and [[108]]  $\underline{10^9}$ Mycobacterium w as:
  - (a) between 10<sup>8</sup> and 10<sup>9</sup> heat killed whole *Mycobacterium* w,
  - (b) between 10<sup>8</sup> and 10<sup>9</sup> sonicated Mycobacterium w.
  - (c) a solvent extract of between 10<sup>8</sup> and 10<sup>9</sup> Mycobacterium w wherein the solvent is selected from the group consisting of chloroform, ethanol, methanol and, acetone [, phenol, isopropyl alcohol, acetic acid, urea, and hexane], or
  - (d) an enzymatic extraction of between  $10^8$  and  $10^9$  Mycobacterium w wherein the enzyme is selected from liticase and pronase.
- 48. (Previously Presented) A method of treating, managing or preventing obstructive lung disease comprising administering to a patient a pharmaceutical composition comprising an effective amount of heat killed whole cell *Mycobacterium w*.

49-54. (Canceled)